

# ADVANCE



Recessed LED module with profiled diffuser

I-Tech contoured diffuser provides excellent glare control with EN-12464 compliance

Suitable for office installations and general or task area lighting



Lighting for  
**a Living**

# ADVANCE



- Recessed LED module with profiled diffuser
- I-Tech contoured diffuser provides excellent glare control with EN-12464 compliance
- Suitable for office installations and general or task area lighting
- TP(a) rated diffuser
- Full range of gear options including DALI and emergency
- CRI: Ra>80
- Up to 120 lumens per Watt efficacy
- 55,000 hours lifetime (L80/B10)

5 YR

IP20



TP(a)




## Recessed office module

Order Code	Description	lm	W	lm/W	kg
ADV200NW	17W - 4000K	2000	17	118	4.30
ADV300NW	25W - 4000K	3000	25	120	4.30
ADV400NW	34W - 4000K	4000	34	118	4.30

## Dimensions

Order Code	A (mm)	B (mm)	C (mm)	Cut Out
ADV200NW	595	595	70	595x595
ADV300NW	595	595	70	595x595
ADV400NW	595	595	70	595x595



## CONSTRUCTION

- Steel body finished in white (RAL 9016)
- Opal and semi-prismatic polycarbonate diffuser - TP(a) rated
- Supplied as standard with neutral white (4000K) LED


## OPTIONS

M3	3 hours integrated emergency
A3	Auto self test
D3	DALI self test
D	DALI dimming control gear

**INSTALLATION NOTES** Recessed into exposed T-Bar ceiling with connection to rear mounted terminal block

## TO SPECIFY

Recessed module with glare control diffuser as per TamLite ADVANCE range



Lighting for a Living

## Tamlite Lighting Sales Centre

Tamlite Field Sales Centre,  
Park Farm Industrial Estate,  
Redditch, Worcestershire,  
B98 0HU

T. 01527 517 777  
E. [sales@tamlite.co.uk](mailto:sales@tamlite.co.uk)  
W. [tamlite.co.uk](http://tamlite.co.uk)

## Over 50 years lighting for a **Living**

As a UK manufacturer we have one of the widest lighting ranges across:



Communal



Education



Emergency



Healthcare



Industrial



Office



Retail  
& Leisure



Sports



Urban



Warehouse  
& Logistics