

MODLED[®] LG



Tamlite I-Tech diffuser designed for low glare reduction to BS EN-12464 compliance

Suitable for office installations and general or task area lighting

Backlit LED array for improved uniformity



Lighting for
a Living

MODLED[®] LG



- TamLite I-Tech diffuser designed for low glare reduction to BS EN-12464 compliance
- Suitable for office installations and general or task area lighting
- Backlit LED array for improved uniformity
- Suitable for use in VDU areas such as offices, schools and universities. High output version also ideal for Retail and Commercial areas
- Gear options including DALI and emergency available
- Available with warm white (3000K), neutral white (4000K) or cool white (5000K) on 600mmx600mm versions
- CRI: Ra>80
- Up to 133 lumens per Watt efficacy
- 50,000 hours lifetime (L70/B50)




High performance backlit module with VDT optic

Order Code	Description	lm	W	lm/W	kg
PBL66220NW	15W - 4000K	2000	15	133	2.17
PBL66300NW	23W - 4000K	3000	23	130	2.17
PBL66400NW	32W - 4000K	4000	32	125	2.17
PBL123300NW	23W - 4000K	3000	23	130	2.30
PBL123200NW	15W - 4000K	2000	15	133	2.30
PBL123400NW	32W - 4000K	4000	32	125	2.30
PBL126600NW	45W - 4000K	6000	45	133	4.20
PBL126400NW	32W - 4000K	4000	32	125	4.20
PBL126800NW	69W - 4000K	8000	69	116	4.20

Dimensions

Order Code	A (mm)	B (mm)	C (mm)	Cut Out
PBL66220NW	595	595	35	595
PBL66300NW	595	595	35	595
PBL66400NW	595	595	35	595
PBL123300NW	1195	295	35	595
PBL123200NW	1195	295	35	595
PBL123400NW	1195	295	35	595
PBL126600NW	1195	595	35	595
PBL126400NW	1195	595	35	595
PBL126800NW	1195	595	35	595

MODLED[®] SB



CONSTRUCTION

- Extruded aluminium body finished in white (RAL 9010)
- TP (a) rated diffuser
- Backlit LED array
- Remote driver

OPTIONS


D	Dimmable DALI
M3	3 hours integrated emergency
A3	Emergency self test
D3	DALI self test
WW	Warm white (3000K)
CW	Cool white (5000K)

INSTALLATION NOTES

Recessed into exposed T-Bar ceiling with connection to remote driver

TO SPECIFY

High performance backlit module with VDT optic as per TamLite MODLED LG range



Lighting for a Living

Tamlite Lighting Sales Centre

Tamlite Field Sales Centre,
Park Farm Industrial Estate,
Redditch, Worcestershire,
B98 0HU

T. 01527 517 777
E. sales@tamlite.co.uk
W. tamlite.co.uk

Over 50 years lighting for a **Living**

As a UK manufacturer we have one of the widest lighting ranges across:



Communal



Education



Emergency



Healthcare



Industrial



Office



Retail
& Leisure



Sports



Urban



Warehouse
& Logistics