

# REVO FOCUS



High output LED high bay, ideal for large leisure, retail and airport spaces

Choice of 6 different beam angles for ultimate in beam control

Uniform light level in daylight



Lighting for  
**a Living**

# REVO FOCUS



- High output LED high bay, ideal for large leisure, retail and airport spaces
- Choice of 6 different beam angles for ultimate in beam control
- Uniform light level in daylight
- Optional built in uplighter for a more vibrant shopping environment
- Full range of gear options including DALI and emergency
- CRI: Ra>80
- Up to 150 lumens per Watt efficacy
- 60,000 hours lifetime (L80/B20)

5 YR

IP20




## Large area, high output luminaire

Order Code	Description	lm	W	lm/W	kg
REVFWB900NW	60W - 4000K - wide beam (90°)	9000	60	150	5.25
REVFWB1200NW	80W - 4000K - wide beam (90°)	12000	80	150	10.5
REVFWB1500NW	100W - 4000K - wide beam (90°)	15000	100	150	10.5
REVFWB1800NW	120W - 4000K - wide beam (90°)	18000	120	150	10.5
REVFWB2100NW	140W - 4000K - wide beam (90°)	21000	140	150	12.75
REVFWB2400NW	160W - 4000K - wide beam (90°)	24000	160	150	12.75
REVFWB3000NW	205W - 4000K - wide beam (90°)	30000	205	146	12.75

## Dimensions (mm)

Order Code	A	B	C
REVFWB900NW	600	300	75
REVFWB1200NW	1200	300	75
REVFWB1500NW	1200	300	75
REVFWB1800NW	1200	300	75
REVFWB2100NW	1500	300	75
REVFWB2400NW	1500	300	75
REVFWB3000NW	1500	300	75



## CONSTRUCTION

- Extruded aluminium finished in white (RAL 9016)
- Clear optic lens
- Polycarbonate end caps
- Hinged side plates for easy access and maintenance
- Unique power entry access for easy and quick installation
- Unique ball bearing suspension kit with 'Y' piece adjuster
- Supplied with wide beam optic as standard
- Supplied as standard with neutral white (4000K) LED

## OPTIONS


M3	3 hours integrated emergency
A3	Auto self test
D3	DALI self test
D	DALI dimming control gear
WW	Warm white (3000K)
DL	Daylight (6500K)
NB	Narrow beam 30°
MB	Medium beam 60°
ASY	Asymmetric 25°
DASY	Double asymmetric 2 x 25°
EWB	Extra wide beam 110°

## INSTALLATION NOTES

Fixed via rear suspension holes and wired via plug-in 3 pole terminal block

## TO SPECIFY

High output LED high bay with optical lens as per TamLite REVO FOCUS



Lighting for a Living

## Tamlite Lighting Sales Centre

Tamlite Field Sales Centre,  
Park Farm Industrial Estate,  
Redditch, Worcestershire,  
B98 0HU

T. 01527 517 777  
E. [sales@tamlite.co.uk](mailto:sales@tamlite.co.uk)  
W. [tamlite.co.uk](http://tamlite.co.uk)

## Over 50 years lighting for a **Living**

As a UK manufacturer we have one of the widest lighting ranges across:



Communal



Education



Emergency



Healthcare



Industrial



Office



Retail  
& Leisure



Sports



Urban



Warehouse  
& Logistics