

# TAURUS



High performance optic for maximum spacing and distribution

Maximum of 15m spacing, at 3m mounting height

Dark sky optic to reduce upward light output with less than 2% ULOR



Lighting for  
**a Living**

# TAURUS



- High performance optic for maximum spacing and distribution
- Maximum of 15m spacing, at 3m mounting height
- Dark sky optic to reduce upward light output with less than 2% ULOR
- Choice of 3 lumen outputs
- Photocell option also available
- Up to 138 lumens per Watt efficacy
- 50,000 hours lifetime (L80/B20)


5 YR IP65  

### Exterior wall light with dark sky optic

Order Code	Description	lm	W	lm/W	kg
TAU80NW	6W - 4000K	800	6	133	3.20
TAU180NW	13W - 4000K	1800	13	138	3.20
TAU300NW	24W - 4000K	3000	24	125	3.20

### Dimensions

Order Code	A (mm)	B (mm)	C (mm)
TAU80NW	295	220	165
TAU180NW	295	220	165
TAU300NW	295	220	165



### Black Option



### Photocell Option



### CONSTRUCTION

- Die-cast aluminium body finished in grey (RAL 9006)
- Integral driver
- Supplied as standard with neutral white (4000K) LED

### OPTIONS


PC	Photocell
D	Dimmable DALI
M3	3 hours integrated emergency
A3	Emergency self test
D3	DALI self test
B	Black (RAL 9005)

### INSTALLATION NOTES

Fixed via rear mounting plate and wired via cable entry

### TO SPECIFY

Die-cast aluminium wall light as per TamLite TAURUS range



## Tamlite Lighting Sales Centre

Tamlite Field Sales Centre,  
Park Farm Industrial Estate,  
Redditch, Worcestershire,  
B98 0HU

T. 01527 517 777  
E. [sales@tamlite.co.uk](mailto:sales@tamlite.co.uk)  
W. [tamlite.co.uk](http://tamlite.co.uk)

## Over 50 years lighting for a **Living**

As a UK manufacturer we have one of the widest lighting ranges across:



Communal



Education



Emergency



Healthcare



Industrial



Office



Retail  
& Leisure



Sports



Urban



Warehouse  
& Logistics